



Addendum 01

Corporate Headquarters
7535 N. Palm Ave. #201
Fresno, CA 93711

559.437.0887 T
559.438.7554 F
teterae.com

PROJECT:

WHCCD Lemoore Campus –
Paving Replacement
555 College Ave,
Lemoore, CA 93245

Date : August 21, 2026

TETER Project No.: 25-13572

CLIENT:

West Hills Community
College District
275 Phelps Ave.
Coalinga, CA 93210

Client Project No.: TBD
DSA File No.: 10-C1
DSA Appl. No.: 02-124379

*The following additions, deletions and revisions to the plans, specifications and Addenda shall become a part of the plans and specifications. It is the responsibility of the General Contractor to submit the information contained in this addendum to all subcontractors and suppliers. The Bidder shall acknowledge receipt of the Addendum in the Bid Proposal. (Addendum number of pages: **03** pages + **10** attachments = **13** total pages).*

PROJECT MANUAL:

1 - 01: PROJECT MANUAL, SPECIFICATION SECTION 011100 – “SUMMARY OF WORK”, replace as follows:

A. Delete Specification Section 011100 Summary of Work in its entirety and replace with the attached Summary of Work, **AD1-01**. [5 Pages]

1. Proposed bid and construction schedule has been revised to reflect current bid timing.

DRAWINGS:

1 - 02: DRAWINGS, SHEET C201– DEMOLITION PLAN, replace as follows:

A. Delete C201 – “DEMOLITION PLAN” in its entirety and replace with the attached C201– “DEMOLITION PLAN”. See attached **AD1-C01**. Changes include the following;

1. Removed note 10. Changed note 11 to 10.
2. Adjusted SC annotations.
3. Removed SC annotations.

1 - 03: DRAWINGS, SHEET C301– SITE PLAN, replace as follows:

- A. Delete C301 – “SITE PLAN” in its entirety and replace with the attached C301 – “SITE PLAN”. See attached **AD1-C02**. Changes include the following;
1. Added cross section annotation.
 2. Added expansion joint annotation.
 3. Adjusted concrete line at drop off.
 4. Added Keynote 3.

1 - 04: DRAWINGS, SHEET C401– GRADING AND DRAINAGE PLAN, replace as follows:

- A. Delete C401 – “GRADING AND DRAINAGE PLAN” in its entirety and replace with the attached C401– “GRADING AND DRAINAGE PLAN”. See attached **AD1-C03**. Changes include the following;
1. Adjusted grades at drop off.
 2. Removed R from legend.
 3. Added note to plan at storm drain manhole.

1 - 05: DRAWINGS, SHEET X101– DETAILS, replace as follows:

- A. Delete X101 – “DETAILS” in its entirety and replace with the attached “C201– “DETAILS”. See attached **AD1-C04**. Changes include the following;
1. Updated detail [A/X101].
 - a. Added rebar in joint cross section.
 - b. Added expansion joint at existing curb and gutter.
 2. Modified detail [D/X101].
 3. Updated detail [E/X101].
 - a. Reversed cross section arrows.
 - b. Changed detail name.
 - c. Extended cross section under concrete curb.
 4. Updated detail [F/X101].
 - d. o Changed aggregate base from 6" to 12".
 - e. o Changed AC from 7" to 6".
 5. Added “PER SPECIFICATIONS” to detail [G/X101].

1 - 06: DRAWINGS, SHEET A101– DETAIL 10, modify as follows:

- Both inner and outer curbs to be painted red to maintain no parking designation

ADDENDUM NO. 01

WHCCD Lemoore – Paving Replacement

Page 3

Non-Mandatory Bid Walk:

1 - 07: ATTENDANCE SHEET, add as follows:

- See attached sign in sheet from 20th Aug 2026 non-mandatory pre-bid job walk

END OF ADDENDUM NO. 01



Aya Shitanishi
Architect of Record

SECTION 011100
SUMMARY OF WORK

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and other Division 01 Specification Sections, apply to this Section.

1.2 SUMMARY

- A. Section includes:

- 1. Project information.
- 2. Work covered by Contract Documents.
- 3. Access to site.
- 4. Coordination with occupants.
- 5. Work restrictions.
- 6. Specification and drawing conventions.
- 7. Preliminary Project Schedule.

- B. Related Sections:

- 1. Division 01 Section "Temporary Facilities and Controls" for limitations and procedures governing temporary use of Owner's facilities.

1.3 PROJECT INFORMATION

- A. Project Identification:

WHCCD Lemoore – Paving Replacement
555 College Ave, Lemoore, CA 93245

Architect's Project Number: 25-13572

Owner's Project Number: xxxxxx

DSA File Number: 10-C1

DSA Application Number: 02-124379

B. Owner:

West Hills Community College District
275 Phelps Ave.
Coalinga, CA 93210

Telephone: 559-934-2100
Contact: Shanna Ahrens

C. Architect:

TETER, Inc.
7535 North Palm Avenue, Suite 201
Fresno, California 93711

Telephone 559.437.0887
Contact: Aya Shitanishi

1.4 WORK COVERED BY CONTRACT DOCUMENTS

- A. The Work of the Project is defined by the Contract Documents and consists of the following:
 - 1. Removal and Replacement of damaged paving sections and associated subgrade preparation
- B. Type of Contract: Project will be constructed under a single prime contract.

1.5 CONTRACTOR'S USE OF SITE AND PREMISES

- A. Limits on Use of Site: Limit use of Project site to the Project area indicated and site areas allowed for Contractor's use. Do not disturb portions of Project site beyond areas in which the Work is indicated.
 - 1. Driveways, Walkways and Entrances: Keep driveways, loading areas, and entrances serving premises clear and available to Owner, Owner's employees, and emergency vehicles at all times. Do not use these areas for parking or storage of materials.
 - a. Schedule deliveries to minimize use of driveways and entrances by construction operations.
 - b. Schedule deliveries to minimize space and time requirements for storage of materials and equipment on-site.

1.6 COORDINATION WITH OCCUPANTS

- A. Partial Owner Occupancy: Owner will occupy the premises during entire construction period, with the exception of areas under construction. Cooperate with Owner during construction operations to minimize conflicts and facilitate Owner usage. Perform the Work so as not to interfere with Owner's operations. Maintain existing exits unless otherwise indicated.
 - 1. Maintain access to existing walkways, corridors, and other adjacent occupied or used facilities. Do not close or obstruct walkways, corridors, or other occupied or used facilities without written permission from Owner and authorities having jurisdiction.
 - 2. Provide not less than [72] <Insert number> hours' notice to Owner of activities that will affect Owner's operations.
- B. Owner Limited Occupancy of Completed Areas of Construction: Owner reserves the right to occupy and to place and install equipment in completed portions of the Work, prior to Substantial Completion of the Work, provided such occupancy does not interfere with completion of the Work. Such placement of equipment and limited occupancy shall not constitute acceptance of the total Work.
 - 1. Architect will prepare a Certificate of Substantial Completion for each specific portion of the Work to be occupied prior to Owner acceptance of the completed Work.
 - 2. Obtain a Certificate of Occupancy from authorities having jurisdiction before limited Owner occupancy.
 - 3. Before limited Owner occupancy, mechanical and electrical systems shall be fully operational, and required tests and inspections shall be successfully completed. On occupancy, Owner will operate and maintain mechanical and electrical systems serving occupied portions of Work.
 - 4. On occupancy, Owner will assume responsibility for maintenance and custodial service for occupied portions of Work.

1.7 WORK RESTRICTIONS

- A. Work Restrictions, General: Comply with restrictions on construction operations.
 - 1. Comply with limitations on use of public streets and other requirements of authorities having jurisdiction.
- B. On-Site Work Hours: Limit work to between 7:00 a.m. to 5:00 p.m., Monday through Friday, unless otherwise indicated. Work hours may be modified to meet Project requirements if approved by Owner and authorities having jurisdiction.
 - 1. Submit a written request to the Architect for work hours outside of the indicted on-site hours; request subject to review by the Owner.
- C. Existing Utility Interruptions: Do not interrupt utilities serving facilities occupied by Owner or others unless permitted under the following conditions and then only after providing temporary utility services according to requirements indicated:

1. Notify Architect and Owner not less than 2 days in advance of proposed utility interruptions.
 2. Obtain Architect's and Owner's written permission before proceeding with utility interruptions.
- D. Noise, Vibration, and Odors: Coordinate operations that may result in high levels of noise and vibration, odors, or other disruption to Owner occupancy with Owner.
1. Notify Architect and Owner not less than 2 days in advance of proposed disruptive operations.
 2. Obtain Architect's and Owner's written permission before proceeding with disruptive operations.
- E. Smoking and Controlled Substance Restrictions: Use of tobacco products, alcoholic beverages, and other controlled substances on Project site is not permitted.
- F. Employee Screening: Comply with Owner's requirements for drug and background screening of Contractor personnel working on Project site.
1. Maintain list of approved screened personnel with Owner's representative.

1.8 SPECIFICATION AND DRAWING CONVENTIONS

- A. Specification Content: The Specifications use certain conventions for the style of language and the intended meaning of certain terms, words, and phrases when used in particular situations. These conventions are as follows:
1. Imperative mood and streamlined language are generally used in the Specifications. The words "shall," "shall be," or "shall comply with," depending on the context, are implied where a colon (:) is used within a sentence or phrase.
 2. Specification requirements shall be complied with by Contractor unless specifically stated otherwise.
- B. Division 00 Contracting Requirements: General provisions of the Contract, including General and Supplementary Conditions, apply to all Sections of the Specifications.
- C. Division 01 General Requirements: Requirements of Sections in Division 01 apply to the Work of all Sections in the Specifications.
1. Where conflicts occur between Division 00 Contracting Requirements and Division 01 General Requirements, the most restrictive requirements shall apply; Architect shall make the final decision on which requirement(s) apply.
- D. Drawing and Specification Coordination:
1. Requirements for materials and products identified on Drawings are described in detail in the Specifications unless materials and products are described in detail on the Drawings.
 2. Generic terms are used to identify materials and products on the Drawings.

3. Specifications establish minimum quality standards for products, materials, and installation requirements unless more stringent requirements are indicated on the Drawings; Drawings establish material and product location and quantity.
4. Where requirements for materials and products indicated on the Drawings are not specified, provide heavy duty commercial grade products and materials.

1.9 PRELIMINARY PROJECT SCHEDULE


- A. The Preliminary Project Schedule is provided for Bidder's convenience and does not affect Contract Time requirements.

1.	First Advertisement	8/09/2026
2.	Second Advertisement	8/16/2026
3.	Non-Mandatory Prebid Job Walk	8/20/2026 @ 10:00 AM
4.	Last day for submission for RFI	8/25/2026 @ 4:00 PM
5.	Last Addenda Issuance	8/31/2026 @ 2:00 PM
6.	Bid Opening	9/03/2026 @ 2:00 PM
7.	Bid Review & Recommendation	9/10/2026
8.	Estimated Notice of Award/Board Meeting	9/23/2026
9.	Notice to Proceed	10/05/2026
10.	On Site Construction Commences	10/05/2026
11.	Construction Completion	11/19/2026

PART 2 - PRODUCTS (Not Used)

PART 3 - EXECUTION (Not Used)

END OF SECTION




DEMOLITION LEGEND:

- REMOVE EXISTING IMPROVEMENTS AS NECESSARY TO CONSTRUCT NEW IMPROVEMENTS SHOWN ON THESE PLANS UNLESS OTHERWISE NOTED ON THE PLAN. THE REMOVAL OF IMPROVEMENTS MUST BE COORDINATED WITH ALL PLAN SHEETS. CONTRACTOR MUST ALSO COORDINATE REMOVAL OF IMPROVEMENTS WITH UTILITY AGENCIES. PROTECT ALL IMPROVEMENTS NOT DESIGNATED FOR REMOVAL. SEE NOTE 1.
- LIMITS OF VEGETATION REMOVAL. 4" MINIMUM DEPTH
- LIMITS OF CONCRETE IMPROVEMENT REMOVAL
- PROTECT CONCRETE IMPROVEMENTS TO REMAIN
- PROTECT TRUNCATED DOMES TO REMAIN
- PROTECT UTILITY TO REMAIN
- REMOVE AND LAWFULLY DISPOSE OF CONCRETE IMPROVEMENTS
- SAWCUT

GENERAL DEMOLITION NOTES:

- THE "LIMIT OF DEMOLITION" SHOWN IS APPROXIMATE AND IS GENERALLY CONSIDERED TO BE THE MINIMUM REMOVAL REQUIREMENTS. CONTRACTOR MUST COORDINATE AS NOTED IN THE LEGEND.
- CONTRACTOR SHALL LEGALLY DISPOSE OF ALL DEMOLISHED MATERIALS OFF SITE.
- CONTRACTOR SHALL PROTECT ALL EXISTING UTILITY IMPROVEMENTS NOT SPECIFICALLY DESIGNATED FOR REMOVAL.
- THE ON-SITE UNDERGROUND UTILITIES SHOWN ON THIS SHEET ARE AT APPROXIMATE LOCATIONS. THE EXISTENT LOCATIONS AND SIZES ARE UNKNOWN. THE CONTRACTOR SHALL POthOLE TO LOCATE AND VERIFY THE UNDERGROUND UTILITY LINES PRIOR TO REMOVAL.
- CONTRACTOR TO PROTECT AND PRESERVE IN PLACE ANY FOUND SURVEY MONUMENTS. ANY MONUMENTS DISTURBED SHALL BE RESET BY A CALIFORNIA LICENSED SURVEYOR AND THE APPROPRIATE PAPERWORK FILED WITH THE CITY OR COUNTY, AT CONTRACTOR'S EXPENSE.
- ALL HAZARDOUS MATERIALS ENCOUNTERED DURING SITE DEMOLITION SHALL BE REMEDIATED AND DISPOSED OF PER STATE AND EPA REQUIREMENTS.
- CONTRACTOR SHALL CONTACT AND COORDINATE WITH ALL UTILITY AGENCIES PRIOR TO THE START OF ANY DEMOLITION OR CONSTRUCTION.
- ANY EXISTING UTILITIES AND/OR IMPROVEMENTS WHICH ARE TO REMAIN, THAT BECOME DAMAGED DURING CONSTRUCTION SHALL BE COMPLETELY RESTORED TO THE SATISFACTION OF THE OWNER AND AGENCY HAVING AUTHORITY, AT THE CONTRACTOR'S SOLE EXPENSE.
- REMOVE EXISTING IMPROVEMENTS AS NECESSARY TO CONSTRUCT NEW IMPROVEMENTS SHOWN ON THESE PLANS.
 - FOR CONCRETE REMOVAL REMOVE TO THE NEXT NEAREST TOoled JOINT OR EXPANSION JOINT OF IMPROVEMENTS DESIGNATED TO REMAIN.
 - FOR ASPHALTIC PAVEMENT REMOVAL, SAWCUT TO A STRAIGHT, CLEAN EDGE AT LOCATIONS INDICATED ON THE PLANS.
- COMPLIANCE WITH FIRE SAFETY DURING CONSTRUCTION WILL BE ENFORCED.




451 Clark Avenue, Suite 200
Clark, California 95812
Tel (916) 335-1400
Fax (916) 335-1500

NEW DRAINAGE FOR EXISTING DRIVE
WEST HILLS COLLEGE LEMOORE
WEST HILLS COMMUNITY COLLEGE DISTRICT
LEMOORE, CA

DRAWING TITLE
DEMOLITION PLAN


PROJECT NO.
26-13572
DRAWING
C201

TETER, INC.
FRESNO HEADQUARTERS
VISALIA | BAKERSFIELD | MODESTO | SAN LUIS OBISPO
ARCHITECTS ENGINEERS CONNECTED



MARK	DATE	DESCRIPTION
8/10/26	BID ADDENDUM 1	100% CD DSA SUBMITTAL

Teter, LLP expressly reserves its common law copyright and other intellectual property rights in this document, the ideas and designs incorporated herein, as an instrument of professional service, in whole or in part, for any other project without prior written authorization.




SITE LEGEND:

- LIMITS OF HEAVY DUTY CONCRETE IMPROVEMENTS PER DETAIL [A/X101]
- LIMITS OF ASPHALT PLUG IMPROVEMENTS [F/X101]
- EXPANSION JOINT
- PAINT DIRECTIONAL ARROW WHITE PER [C/X101]
- SYNTHETIC TURF, SEE ARCHITECTURAL PLANS
- INSTALL EXPANSION JOINT AROUND EXISTING MANHOLE PER DETAIL [G/X101]

GENERAL SITE NOTES:

- ALL CONCRETE MOWSTRIPS, RAMPS AND SIDEWALKS SHALL HAVE WEAKENED PLANE JOINTS AT 12 FEET MAXIMUM ON CENTER AND EXPANSION JOINTS AT 36 FEET MAXIMUM ON CENTER PER DETAIL [A/X101]
- INSTALL DOWELED CONNECTION AT JOINT OF NEW CONCRETE TO EXISTING CONCRETE PER DETAIL [B/X101]
- NO CONCRETE MAY BE POURED UNTIL THE FORMS HAVE BEEN REVIEWED AND APPROVED BY THE PROJECT INSPECTOR.
- ALL BURIED METALLIC OBJECTS SHALL HAVE A PROTECTIVE COATING OR BE WRAPPED WITH APPROVED PROTECTIVE WRAP.
- ADJUST EXISTING SPRINKLER HEADS AND LATERAL LINES AS REQUIRED BY NEW IMPROVEMENTS, OR AS SHOWN ON THE IRRIGATION PLANS.
- 2 WORKING DAYS BEFORE COMMENCING EXCAVATION OPERATIONS WITHIN THE STREET RIGHT-OF-WAY AND/OR UTILITY EASEMENTS, ALL EXISTING UNDERGROUND FACILITIES SHALL HAVE BEEN LOCATED BY UNDERGROUND SERVICES ALERT (USA). CALL 1-800-642-2444
- ANY SURVEY MONUMENTS WITHIN THE AREA OF CONSTRUCTION SHALL BE PRESERVED OR RESET BY A PERSON LICENSED TO PRACTICE LAND SURVEYING IN THE STATE OF CALIFORNIA. REPLACEMENT TO BE AT CONTRACTOR'S SOLE EXPENSE.
- REPAIR ALL DAMAGED AND/OR OFF-GRADE CONCRETE STREET IMPROVEMENTS AS DETERMINED BY THE AGENCY HAVING JURISDICTION PRIOR TO OCCUPANCY
- NO PAVEMENT STRIPING IS ALLOWED PRIOR TO SEAL COAT REVIEW BY ENGINEER, AND WRITTEN APPROVAL TO PROCEED BY ENGINEER.
- OBTAIN ALL REQUIRED PERMITS AND APPROVALS FROM AGENCY HAVING JURISDICTION FOR WORK WITHIN THE PUBLIC RIGHT OF WAY
- DIMENSIONS AND POINTS ARE TO CENTER OF FENCE POSTS, FACE OF BUILDINGS, TOP FACE OF CURB, OR EDGE OF CONCRETE, UNLESS SHOWN OTHERWISE.



Blair,
Church
& Flynn
CONSULTING ENGINEERS

451 Clark Avenue, Suite 200
Clark, California 95012
Tel (909) 326-1400
Fax (909) 326-1500

NEW DRAINAGE FOR EXISTING DRIVE
WEST HILLS COLLEGE LEMOORE
WEST HILLS COMMUNITY COLLEGE DISTRICT
LEMOORE, CA

PROJECT NO.
26-13572
DRAWING
C301

DRAWING TITLE
SITE PLAN

TETER, INC.


FRESNO HEADQUARTERS
VISALIA | BAKERSFIELD | MODESTO | SAN LUIS OBISPO

ARCHITECTS ENGINEERS CONNECTED



MARK	DATE	DESCRIPTION
△	8/10/26	BID ADDENDUM 1

Teter, LLP expressly warrants its common law copyright and other intellectual property rights in this document, the plans and designs incorporated herein, as an instrument of professional service, and that it is not, for any other project without prior written authorization.




GRADING AND DRAINAGE LEGEND:

- C CONCRETE
- G GUTTER
- L LIP OF GUTTER
- TC TOP OF CURB
- (344.9) EXISTING ELEVATION
- 328.78 NEW FINISHED GRADE
- G B GRADE BREAK

GENERAL GRADING AND DRAINAGE NOTES:

- THE REQUIREMENTS AND INFORMATION SET OUT BELOW ARE PROVIDED FOR THE CONTRACTOR'S CONVENIENCE AND DO NOT ENCOMPASS ALL PROJECT REQUIREMENTS DESCRIBED BY THE PROJECT PLANS AND SPECIFICATIONS AND/OR APPLICABLE LAWS, REGULATIONS AND/OR BUILDING CODES.
- CONSTRUCTION OF ALL PROJECT SITE IMPROVEMENTS SUBJECT TO ADA ACCESS COMPLIANCE, INCLUDING ACCESSIBLE PATH OF TRAVEL, CURB RETURNS, PARKING STALL(S) AND UNLOADING AREAS, BARRIER FREE AMENITIES AND/OR OTHER APPLICABLE SITE IMPROVEMENTS SHALL CONFORM TO THE AMERICANS WITH DISABILITIES ACT, CALIFORNIA TITLE 24, THE CALIFORNIA BUILDING CODE, CURRENT EDITION(S).
 - CONTRACTOR SHALL FIELD VERIFY ALL GRADES AND SLOPES PRIOR TO THE PLACEMENT OF CONCRETE AND/OR PAVEMENT FOR CONFORMANCE WITH ADA ACCESS COMPLIANCE REQUIREMENTS. EXAMPLES OF MINIMUM AND MAXIMUM LIMITS RELATED TO ADA ACCESS COMPLIANCE INCLUDE, BUT ARE NOT LIMITED TO:
 - ACCESSIBLE PATH OF TRAVEL CROSS-SLOPE SHALL NOT EXCEED 2%
 - ACCESSIBLE PATH OF TRAVEL LONGITUDINAL SLOPES SHALL NOT EXCEED 5%
 - RAMP LONGITUDINAL SLOPES SHALL NOT EXCEED 8.33%
 - ACCESSIBLE WALKS SHALL NOT HAVE LESS THAN 48 INCHES IN UNOBSTRUCTED WIDTH.
 - ACCESSIBLE PARKING SPACES AND ACCESS AISLES SHALL NOT EXCEED 2% SLOPE IN ANY DIRECTION
 - LANDINGS AT THE TOP AND BOTTOM OF ACCESSIBLE RAMPS SHALL NOT EXCEED 2% SLOPE IN ANY DIRECTION
 - GUTTERS AND ROAD SURFACES DIRECTLY ADJACENT TO AND WITHIN 2 FEET OF A CURB RAMP SHALL HAVE A COUNTER SLOPE NOT TO EXCEED 5%
 - CONTRACTOR MUST IMMEDIATELY NOTIFY THE ENGINEER OF RECORD, IDENTIFIED BY THE PROFESSIONAL ENGINEERING SEAL AND SIGNATURE ON THESE PLANS, OF ANY SITE CONDITION(S) AND/OR DESIGN INFORMATION THAT PREVENTS THE CONTRACTOR FROM COMPLYING WITH THE LAWS, REGULATIONS AND/OR BUILDING CODES GOVERNING ADA ACCESS COMPLIANCE.
 - GROUND SLOPES AWAY FROM BUILDING PADS IN LANDSCAPED OR DIRT AREAS SHALL BE NO LESS THAN 5% FOR AT LEAST TEN (10) FEET, OR AS OTHERWISE NOTED ON THE PLANS.
 - DRAINAGE SHALL NOT BE ALLOWED ONTO ADJACENT PROPERTY.
 - ALL FILL MATERIAL USED TO SUPPORT THE FOUNDATIONS OF ANY BUILDING OR STRUCTURE SHALL BE PLACED UNDER THE DIRECTION OF A LICENSED GEOTECHNICAL ENGINEER, AND IN COMPLIANCE WITH THE PROJECT SPECIFICATIONS. A SOILS COMPACTION REPORT SHALL BE SUBMITTED TO THE ENGINEER OF RECORD AS REQUIRED BY THE PROJECT SPECIFICATIONS, AND BY GOVERNING PUBLIC AGENCIES.
 - AS A FIRST ORDER OF WORK, THE CONTRACTOR SHALL POT HOLE THE EXISTING UTILITY LINES AT THE POINT OF CONNECTION TO VERIFY THE LOCATION, SIZE, PIPE MATERIAL, AND ELEVATION SO THAT THE ENGINEER CAN MAKE ELEVATION AND/OR ALIGNMENT ADJUSTMENTS IF NECESSARY. SHOULD POT HOLE DISCOVER ANY DISCREPANCIES, CONTACT THE ENGINEER AND OBTAIN WRITTEN DIRECTION BEFORE PROCEEDING.
 - ADJUST UTILITY LIDS WITHIN NEW CONSTRUCTION AREA TO FINISHED GRADE PER DETAIL (DX101). REPLACE ALL BROKEN LIDS WITH NEW, PROVIDE TRAFFIC RATED LIDS AND BOXES WITHIN AREAS SUBJECT TO VEHICULAR TRAFFIC.
 - WATER TEST PAVEMENT WITHIN NEW IMPROVEMENT AREA. REPLACE PAVEMENT WHERE BAD BATHS OCCUR AFTER TEST AS DIRECTED BY THE INSPECTOR OR ENGINEER.
 - MINIMUM SLOPE ON IMPERVIOUS SURFACES PERPENDICULAR TO ADJACENT STRUCTURE(S), WITHIN ADA PATH, SHALL BE 1% MINIMUM AND 2% MAXIMUM. WHERE DOOR AND GATE LANDINGS OCCUR THE CROSS SLOPE SHALL BE 2% MAXIMUM IN ALL DIRECTIONS.



Blair,
Church
& Flynn
CONSULTING ENGINEERS


451 Clovis Avenue, Suite 200
Clovis, California 93612
Tel (559) 326-1400
Fax (559) 326-1500

NEW DRAINAGE FOR EXISTING DRIVE
WEST HILLS COLLEGE LEMOORE
WEST HILLS COMMUNITY COLLEGE DISTRICT
LEMOORE, CA

PROJECT NO.
26-13572
DRAWING
C401


DRAWING TITLE
GRADING AND DRAINAGE PLAN

TETER, INC.
FRESNO HEADQUARTERS
VISALIA | BAKERSFIELD | MODESTO | SAN LUIS OBISPO
ARCHITECTS ENGINEERS CONNECTED



8/10/26	BID ADDENDUM 1	MARK	DATE	DESCRIPTION	100% CD DSA SUBMITTAL


Teter, LLP expressly warrants its common law copyright and other intellectual property rights in this document, the plans and designs incorporated herein, as an original work of authorship in which it has a right to be used in whole or in part, for any other project without prior written authorization.





B
X101
NOT TO SCALE

NOTES:


1. DRILL HOLE 1/8" LARGER THAN DOWEL DIAMETER.
2. CLEAN HOLE THOROUGHLY OF DUST AND FRAGMENTS WITH WATER, WIRE BRUSH, AND AIR.
3. FILL HOLE WITH APPROVED ADHESIVE BEFORE INSERTING DOWEL INTO EXISTING CONCRETE.
4. WHERE SMOOTH DOWEL IS USED, APPLY BOND BREAKER TO SIDE IN NEW CONCRETE AS REQUIRED TO ALLOW HORIZONTAL MOVEMENT OF CONCRETE.
5. WHERE DEFORMED REBAR DOWEL IS USED, PROVIDE APPROVED WRAP ON SIDE IN NEW CONCRETE AS REQUIRED TO ALLOW HORIZONTAL MOVEMENT OF CONCRETE.




C
X101
NOT TO SCALE




D
X101
NOT TO SCALE



E
X101
NOT TO SCALE



F
X101
NOT TO SCALE



G
X101
NOT TO SCALE



NEW DRAINAGE FOR EXISTING DRIVE
WEST HILLS COLLEGE LEMOORE
WEST HILLS COMMUNITY COLLEGE DISTRICT

PROJECT NO.
26-13572
DRAWING
X101



MARK	DATE	DESCRIPTION
8/10/26	BID ADDENDUM 1	100% CD DSA SUBMITTAL



559.437.0887 T
559.438.7554 F
teterae.com

Client Project No.: N/A
DSA File No.: 10-C1
DSA Appl. No.: 02-124379