

Security Camera Installation Project

Contents

Lemoore College.....	2
Coalinga Farm	46


Lemoore College



Scope

Install and aim (43) new cameras in existing locations, using existing networking. Remove (17) additional cameras that are no longer needed and weatherproof exterior locations where applicable for cameras that are removed.


Camera Model	Count
PNM-12082RVD	10
PNM-9085RQZ1	9
XND-8040R	13
XNV-8040R	10
XNV-8082R	1
Total	43


WHCCD to provide the cameras and mounting brackets. Contractor to provide all other required materials and supplies needed for physical installation.


Camera Name/Location	New Model	Mounting Hardware	Picture
600 ARENA EXTERIOR	PNM-9085RQZ1	SBP-317HMW SBP-300KMW1 SBP-390WMW2	 A photograph showing two security cameras mounted on the corner of a brick building. The building has a red brick lower section and a tan upper section. The sky is clear and blue. The camera on the left is a white, bullet-style camera, and the camera on the right is a silver, bullet-style camera. Both are mounted on a metal bracket.

Camera Name/Location	New Model	Mounting Hardware	Picture
100 Admin NE (multisensor)	PNM-9085RQZ1	SBP-317HMW	
600 SARAH PALIN S	PNM-9085RQZ1	SBP-317HMW SBP-300KMW1 SBP-390WMW2	

Camera Name/Location	New Model	Mounting Hardware	Picture
600 ARENA ENTRY NE	PNM-9085RQZ1	SBP-317HMW SBP-300KMW1 SBP-390WMW2	 A photograph showing two white security cameras mounted on a red brick wall. One camera is mounted on a white bracket with a black lens cover, and the other is mounted on a white bracket with a black lens cover. The cameras are positioned in the corner of the wall, with one camera pointing towards the left and the other pointing towards the right. The brick wall is made of reddish-brown bricks with visible mortar lines.

Camera Name/Location	New Model	Mounting Hardware	Picture
600 GYM ENTRY S	PNM-9085RQZ1	SBP-317HMW SBP-300KMW1 SBP-390WMW2	

Camera Name/Location	New Model	Mounting Hardware	Picture
600 ARENA ENTRY SE	PNM-9085RQZ1	SBP-317HMW SBP-300KMW1 SBP-390WMW2	 A photograph showing three white security cameras mounted on a dark red brick wall. One camera is mounted vertically, another is mounted horizontally, and a third is a smaller, dome-shaped camera mounted to the right. The wall is made of dark red bricks with light-colored mortar. A blue sky is visible in the upper left corner of the photo.

Camera Name/Location	New Model	Mounting Hardware	Picture
600 ARENA CIRCLE DRIVE	REMOVE ONLY: Being replaced with quad		

600 GYM ENTRY NW

REMOVE ONLY:
Being replaced
with quad



600 ARENA EX W


REMOVE ONLY:
Being replaced
with quad






600 ARENA EXT E


REMOVE ONLY:
Being replaced
with quad





Camera Name/Location	New Model	Mounting Hardware	Picture
600 ARENA FIELD W	REMOVE ONLY: Being replaced with quad		


Camera Name/Location	New Model	Mounting Hardware	Picture
600 ARENA CIRCLE SE	REMOVE ONLY: Being replaced with quad		


Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU EXT NE	XNV-8040R		
900 BOOKSTORE IN	XND-8040R		

Camera Name/Location	New Model	Mounting Hardware	Picture
900 Bookstore NE	XNV-8040R		 A photograph of a white, cylindrical security camera mounted on a red brick wall. The camera is positioned in the lower center of the frame, casting a shadow to its right. The brick wall is composed of reddish-brown bricks with visible mortar lines. A portion of a light-colored wall or door frame is visible in the upper right corner of the image.

Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU EXT SW	XNV-8082R		 A photograph of a white, cylindrical outdoor security camera mounted on a red brick wall. The camera is positioned at an angle, pointing towards the left. A distinct shadow is cast by the camera onto the bricks. Above the camera, a horizontal concrete ledge or window frame is visible against a light-colored wall.

Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU ELEC RM SW	PNM-12082RVD		 A photograph of a white dome security camera mounted on a red brick wall. The camera is positioned in the upper right quadrant of the image, casting a shadow to its left. The background is a clear blue sky.


Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU EXT NW	XNV-8040R		 A photograph showing a white, cylindrical security camera mounted on a red brick wall. The camera is positioned near the top of the wall, just below a concrete ceiling with a recessed light fixture. The camera is angled downwards and to the left.


Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU INTERIOR	XND-8040R		 A photograph showing a white dome-shaped camera mounted on a brown wall. Below the camera is a white electrical outlet with a black cord plugged into it. The camera is positioned centrally above the outlet.

900 SU REGISTER

XND-8040R




Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU INT NW	XND-8040R		 A photograph of a white, dome-shaped security camera mounted on a light-colored wall. The camera is positioned in the lower center of the frame. The wall behind it is painted in two horizontal bands: a lighter tan color at the bottom and a darker orange-brown color at the top. The camera has a lens and a small sensor or microphone on its front face.


Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU INT SE	XND-8040R		 A photograph of a white, dome-shaped security camera mounted on a brown wall. The camera has a circular lens and a small sensor or light on the front. The wall is a solid, textured brown color.


900 SU DELI W

XND-8040R





Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU REGISTER 2	XND-8040R		


Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU KITCHEN	XND-8040R		 A photograph of a beige dome-shaped security camera mounted on a dark, textured wall. The camera is positioned to the right of large, three-dimensional gold letters that spell out 'BR' and 'A'. The camera has a circular lens and a small sensor or microphone hole.


Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU HELPDESK	XND-8040R		


Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU EXT SE	XNV-8040R		
900 SU EXT NE	XNV-8040R		

Camera Name/Location	New Model	Mounting Hardware	Picture
K PARKING WEST W	PNM-9085RQZ1	SBP-317HMW SBP-390WMW2	
K PARKING WEST N	REMOVE ONLY: Being replaced with quad		
K PARKING WEST S	REMOVE ONLY: Being replaced with quad		
K PARKING WEST E	REMOVE ONLY: Being replaced with quad		


Camera Name/Location	New Model	Mounting Hardware	Picture
K PARKING CENTER E	PNM-9085RQZ1	SBP-317HMW SBP-390WMW2	
K PARKING CENTER W	REMOVE ONLY: Being replaced with quad		

Camera Name/Location	New Model	Mounting Hardware	Picture
K PARKING CENTER N	REMOVE ONLY: Being replaced with quad		
K PARKING CENTER S	REMOVE ONLY: Being replaced with quad		
K PARKING EAST E	PNM-9085RQZ1	SBP-317HMW SBP-390WMW2	
K PARKING EAST W	REMOVE ONLY: Being replaced with quad		
K PARKING EAST S	REMOVE ONLY: Being replaced with quad		
K PARKING EAST N	REMOVE ONLY: Being replaced with quad		


Camera Name/Location	New Model	Mounting Hardware	Picture
900 SU ENTRY NW	XNV-8040R		



Camera Name/Location	New Model	Mounting Hardware	Picture
700 EXT PARKING NW	PNM-12082RVD	SBP-215HMW	 A photograph showing a white security camera mounted on a grey building's roof. The camera is angled downwards and to the left. The background is a clear, bright blue sky. The building's roofline is visible at the bottom of the image.



Camera Name/Location	New Model	Mounting Hardware	Picture
800B EXT NE	PNM-12082RVD	SBP-215HMW	 A photograph of a white outdoor security camera mounted on a white pole. The camera is positioned at an angle, pointing upwards and to the right. The background is a clear, bright blue sky. The camera has a lens and a sensor area visible on its front face.




Camera Name/Location	New Model	Mounting Hardware	Picture
700 EXT PARKING N	PNM-12082RVD	SBP-215HMW	 A photograph showing a white security camera mounted on a concrete ledge. The camera is positioned centrally in the lower half of the frame, pointing upwards. The background is a clear, bright blue sky. The ledge is a light-colored concrete or stone surface.


Camera Name/Location	New Model	Mounting Hardware	Picture
600 UPSTAIRS ARENA SW	XND-8040R		 A photograph of a white, bullet-style security camera mounted on a blue wall. The camera is oriented vertically, with its lens at the top. It features a black lens cover and a white body with some ventilation slots and a small square port near the bottom of the camera housing. The camera is attached to a white mounting bracket that is secured to the wall with screws.


Camera Name/Location	New Model	Mounting Hardware	Picture
600 ARENA EXTERIOR NW	REMOVE ONLY: Being replaced with quad		 A photograph of a white, dome-shaped outdoor security camera mounted on a light-colored, textured wall. The camera has a black lens cover and is positioned in the lower center of the frame.

Camera Name/Location	New Model	Mounting Hardware	Picture
400 LIB LOT D NE	XNV-8040R		
200A EXT NE	REMOVE ONLY: Being replaced with quad		

Camera Name/Location	New Model	Mounting Hardware	Picture
200B N	PNM-12082RVD	SBP-215HMW	
200A EXT E	PNM-12082RVD	SBP-215HMW	

Camera Name/Location	New Model	Mounting Hardware	Picture
800 B NW	PNM-12082RVD	SBP-215HMW	
200 NE LOT G	PNM-12082RVD	SBP-215HMW	
700 E	PNM-12082RVD	SBP-215HMW	

Camera Name/Location	New Model	Mounting Hardware	Picture
800B EXT N	PNM-12082RVD	SBP-215HMW	

Camera Name/Location	New Model	Mounting Hardware	Picture
600 Gym Entry North	XNV-8040R		

600 AEROBICS W



XND-8040R




600 AEROBICS E

XND-8040R



Camera Name/Location	New Model	Mounting Hardware	Picture
600 100 E CIRCLE DRIVE	XNV-8082R		
600 ext N E (Chiller plant)	XNV-8040R		

Camera Name/Location	New Model	Mounting Hardware	Picture
900 int	XND-8040R		


Coalinga Farm



Scope



Install and aim (18) new cameras in existing locations, using existing networking. Remove (10) additional cameras that are no longer needed and weatherproof exterior locations where applicable for cameras that are removed.


Camera Model	Count
PNM-9085RQZ1	6
XND-8040R	7
XNV-8082R	1
PNM-9002VQ	4
Total	18

WHCCD to provide the cameras and mounting brackets. Contractor to provide all other required materials and supplies needed for physical installation.


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG WOMENS RR	xnv-8082r		 A white, dome-shaped camera is mounted on a light-colored concrete wall. The camera has a clear, hemispherical lens cover on top. The wall is composed of large, rectangular concrete blocks with visible mortar joints. The camera is positioned in the center of the frame, slightly below the horizontal midline.


Camera Location	New Model	Mounting Hardware	Picture
PORTABLE WEST	PNM-9085RQZ1	SBP-317HMW SBP-300KMW1 SBP-390WMW2	
PORTABLE EAST	PNM-9085RQZ1	SBP-317HMW SBP-300KMW1 SBP-390WMW2	

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 501 BAY DOOR	Remove being replace with quad		
500 BLDG 502 BAY DOOR	Remove being replaced		


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 502 CLASS DOOR	PNM- 9085RQZ1	SBP- 317HMW SBP- 300KMW1 SBP- 390WMW2	


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG SW GARDEN	Remove being replace with quad		

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 501 BAY DOOR (2)	Remove with being replaced		 A photograph showing two security cameras mounted on a brick wall. The cameras are white and have curved mounting arms. A black electrical box is visible on the wall between the two cameras. The background is a clear blue sky.


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 502 BAY DOOR (2)	PNM-9002VQ		


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 504 BAY DOOR (2)	PNM- 9085RQZ1	SBP- 317HMW SBP- 300KMW1 SBP- 390WMW2	

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG EAST BAY DOOR NORTH	Remove being replace with quad		


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG EAST BAY DOOR SOUTH	PNM- 9085RQZ1	SBP- 317HMW SBP- 300KMW1 SBP- 390WMW2	



Camera Location	New Model	Mounting Hardware	Picture
500 BLDG NE ACCESS ROAD	Remove being replace with quad		


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 504 CLASS DOOR	PNM- 9002VQ		 A photograph showing a white, curved security camera mounted on a light-colored brick wall. The camera is angled upwards and to the right. The background is a clear blue sky. The wall has a repeating pattern of rectangular bricks.


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 501 CLASS DOOR	Remove being replace with quad		

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG NW CORNER	PNM- 9085RQZ1	SBP- 317HMW SBP- 300KMW1 SBP- 390WMW2	


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 504 INSIDE SE WEST	XND-8040R		 A photograph showing a white security camera mounted on a brick wall. The camera is attached to a white mounting arm. Several yellow conduits are visible running vertically along the wall to the right of the camera. The camera is positioned in the upper left corner of the frame.

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 504 INSIDE NE WEST	XND-8040R		
500 BLDG 503 INSIDE SE WEST	Removed blocked		


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 503 INSIDE NW WEST	XND-8040R		 A photograph of a white security camera mounted on a brick wall. The camera is attached to a white mounting arm that is secured to the wall with a circular base plate and four screws. A black cable is visible running horizontally across the wall above the camera.

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 503 INSIDE NE WEST	XND-8040R		 A photograph showing a white XND-8040R camera mounted on a brick wall. The camera is attached to a white mounting arm that is secured to the wall with a metal bracket. Several white pipes and black cables are visible on the wall behind the camera.


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 502 INSIDE SE WEST	XND-8040R		


Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 502 INSIDE NW WEST	XND-8040R		 A photograph showing a white XND-8040R camera mounted on a wooden wall. The camera is attached to a white, curved mounting arm that is secured to the wall with a metal bracket and screws. The wall is made of light-colored wooden planks. The camera lens is visible, and the overall setup is clean and professional.

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 501 INSIDE SE WEST	Removed blocked		

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 501 INSIDE NW WEST	XND-8040R		 A photograph showing a white security camera mounted on a black metal beam. The camera is positioned in an industrial or construction environment, with a yellow safety rail visible in the foreground and a brick wall in the background. The camera is mounted on a bracket that is attached to the beam.

Camera Location	New Model	Mounting Hardware	Picture
500 BLDG 503 BAY DOOR	Removed blocked		

Camera Location	New Model	Mounting Hardware	Picture
FL EXT 1	PNM-9002VQ		

Camera Location	New Model	Mounting Hardware	Picture
FL EXT 2	PNM-9002VQ		 A photograph showing the exterior of a building with a green roof and tan brick walls. The letters 'FL' are visible above a door. A utility box is in the foreground.